Receiving Report

	ate: //2/25 upplier: TMY50	- [6~11 &	Batch	n No: <u>/////</u> P/O:	170/8	
Packing Slip: Invoice: Receipt: Discrepancies	Yes No Yes No Cash Cr	W SI Q	elease Note A aybill Attache nipment Comp C6 Inspection ork Order	d: Ye plete: Ye	es No	N/A N/A N/A
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M3-3 B	1-00 ×1000	/2	. 7	(3)	12	
	/				/	
		Initials	of receiver	(if shipment	OK) Level	12
Production/Ac Date Received/Cos Initial	11/2/08	. P			Locati	ion
H:\FORMS\Purc	hasing\approved purch\REQ	REPORT Rev	D			

Purchase Order Receipt Listing

Monday, February 28, 2011 1:48:42 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO13482 Receipt Dates from 2/28/2011 to 2/28/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req		Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ven	dor Nam	e VC-CO	P001 Thysse	nkrupp Materials CA Ltd							•
PO13482	2	N	M2024T3S.063	sf	2/17/2011	2/28/2011	144.0000	\$4.27	0.0000	0	\$615.00
CAD	No		2024-T3 .063 sheet	sf	144.0000	DESJ02	-	\$615.00	0.0000	0	
		I	117018						Total Received Q	Quantity:	144.0000
								Total	Qty to Inspect (P	O U/M):	0.0000
									Total Reject C	Quantity:	0.0000
									Total Receip	ot Value:	\$615.00
								To	tal Balance Due C	Quantity:	0.0000

BILL OF
Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

LADING No: PEC 698512 Ship Date 25Feb11 at 11:30 From PFW Probill T151590 Via APEXMOTOR-PEC CONCORD FOB Frt PREPAID Route 0- 0 Manifest Vhcle Trailer Slp TRINA VINCE (905-532-1365) Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

1) Our Order PEC-301616- 1 Your PO # 13482
Part # Rel # CHANTAL Rel # CHANTAL 3 PCS 131 LBS
.0640 Nom X 48.0000" X 144.0000" 144.00 SFT

LBS
TOTAL: 3 131

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

SHIP WITH S/O 301614

**DO NOT CHARGE ENERGY SURCHARGE - BILLED ON S/O 301614 TOTAL 1 SKID G.W. 381 LBS

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

DATE

OF LADING No: PEC 698512 BILL Ship Date 25Feb11 at 11:30 From PFW Ship From: Probill T151590 THYSSENKRUPP MATERIALS NA APEXMOTOR-PEC 2821 LANGSTAFF ROAD CONCORD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033 FOB PREPAID Frt 0- 0 Manifest Route Vhcle Trailer

Ship To: DART AEROSPACE

TRINA VINCE (905-532-1365) Slp (20115)Sold To: DART AEROSPACE _____

BILL LADING O F ***PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER AS OF DEC 8/08.***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0479527

SERIAL-NO.:

PAGE: 1 / 3

PURCHASER:

ALERIS ALUMINUM

US SALES INC.

475 N.MARTINGALE RD/S.400

SCHAUMBURG, IL 60173

CONSIGNEE:

CAL WEST EXPRESS CO. LTD

17923 S. SANTA FE AVE.

USA - RANCHO DOMINGUEZ, CA 90221

ORDER NO. PURCHASER:

US-AIRCR. DEPOT-PROG/

PART NO. PURCHASER:

ORDER NO. MANUFACTURER/ITEM: 81495 / 01

PRODUCT:

COIL

SPECIFICATION:

AMS4037+B209+QQ250/4

ALLOY/TEMPER:

BARE 2024-T3

DIMENSION:

3

0.063 x 48.00 x 0.00

INS

PCS.

GROSS KG

NET KG

PACK-NO

LOT-NO

4.795

121068

W/03/01

WT-TQ-QS 07/08





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE NO.: 0479527 LOT: 121068 PAGE: 2 / 3 RESULTS: Mechanical properties: -----Pl. No. Spec. No. Y.S. U.T.S. El. KSI KSI Min. LT: 42,0 63,0 15,0 Max. LT: 45,0 66,7 45,0 66,0 45,4 66,7 45,0 66,9 1 A 20,0 2 A 18,3 3 A 18,7 4 A 20,5 5 A 66,1 45,3 17,4 45,7 65,8 19,8 Chemical composition: in % , remainder Al Cast No.: 4-05-3130 Si Fe Cu Mn Mg Cr 0,041 0,091 4,514 0,628 1,442 0,002 0,064 Zn Ti 0,0256 0,0006 Zr Pb Ni Sn Be Na Li V H2 (0,0014 0,0023 0,0051 0,0048 0,0000 0,0000 0,0000 0,0114 0,06 H2 (*) Al Tl Ti+Zr Cu/Mg Fe/Si 0,027 3,131 (*) = H2 in ml/100 g AL뎐쾂괱궦륟됮퍉퇃됱뭑딃눾者묨룓뵁궦祎뾑됮윘졲묨뢥콯렄뢥સ녆셠客羽Ҷ몆펻쏳봕급학땨찞ū챢꺆ण쫗ᇊ砽氀펟뽠됮댸륁梅캢봒퍉봙뫱롼묨앬돞괢흢徘뮄콯쁙윰쇻옾풬꺶 Other tests: Dimensional check: OK Surface control: OK Bend test: L-direction LT-direction OK

ST-direction (

WT-TQ-QS 07/08





Inspection	CERTIFICATE	(EN	10204/3.1)	1	TEST	REPORT	/	APPROVED	CERTIFICATE
------------	-------------	-----	------------	---	------	--------	---	----------	-------------

NO.: 0479527

PAGE:

3 / 3

Remarks:

MATERIAL ALSO FULFILLS THE REQUIREMENTS OF ASTM B209-07, EXCEPT MARKINGS.

1. SUPPLEMENT: ASTM B209-07 ADDED

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISO 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Patrick Gardiner Quality assurance

Aleris Aluminum Koblenz GmbH

Koblenz, the 30.07.10 SW

WT-TQ-QS 07/08

COPPER AND BRASS SALES
SOLD TO: THY'S SON HOMP

SOLD TO: THY'S SON HOMP

CUSTOMER PO DE 328167

SHIPPER NO: 340/13/799

SHIPPER NO: 340/13/799

FORM: 1006 WORKORDER: 2401131779

COPPER AND BRASS SALES

MATERIAL TYPE

ALUMINIUM ALLOYS PRODUCT DESIGNATION

2014 2024 2224 2324 7050 7075 7150 7175 7475 ALUMEC 89 ALUMEC 99 QC-7

"WARNING"

SMALL CHIPS, FINE TURNINGS AND DUST MAY IGNITE READILY. EXPLOSION POTENTIAL MAY BE PRESENT WHEN: DUST OR FINES ARE DISPERSED IN THE AIR; FINE, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH CERTAIN METAL OXIDES; OR, CHIPS, FINES, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH WATER OR MOISTURE. KEEP AWAY FROM IGNITION SOURCE. USE EXPLOSION-PROOF VENTILATION. KEEP MATERIAL DRY.

THIS PRODUCT CONTAINS BERYLLIUM AND COPPER.INHALING BERYLLIUM DUST OR FUMES MAY CAUSE CHRONIC BERYLLIUM DISEASE (CBD),A SERIOUS CHRONIC LUNGDISEASE IN SOME INDIVIDUALS.BERYLLIUM IS A CANCER HAZARD;OVER TIME CBDAND CANCER CAN BE FATAL,TARGET ORGAN IS PRIMARILY THE LUNG.INHALING LARGE AMOUNTS OF COPPER,MAGNESIUM OXIDE,MANGANESE OXIDE,ANDZINC OXIDE FUMES OR DUST MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS.CHRONIC OVEREXPOUSURE TO COPPER MAY CAUSE THICKENING OF THE SKIN;AND SKIN,TEETH,AND HAIR DISCOLORATION.CHRONIC OVEREXPOUSURE TOMANGANESE DUST CAN CAUSE CENTRAL NERVOUS SYSTEM DAMAGE,SCARRING OF THELUNGS AND REPRODUCTIVE HARM IN MALES.TARGET ORGAN IS PRIMARILY THE LUNG,BUT REPEATED HIGH EXPOSURE CAN ALSO AFFECT THE LIVER.CHRONICOVEREXPOSURE TO IRON OXIDE DUST/FUME MAY CAUSE LUNG SIDEROSIS. CHRONIC OVEREXPOSURE TO SILICON DUST CAN CAUSE CHRONIC BRONCHITIS.OVEREXPOSURE TO AMORPHOUS SILICA CAN CAUSE DRYING OF THE MUCOUSMEMBRANES OF THE EYES,NOSE,AND THROAT.

THIS PRODUCT ALSO CONTAINS NICKEL AND CHROMIUM COMPOUNDS.INHALATION OF NICKEL DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACTAND CAUSE NASAL AND/OR LUNG CANCER.NICKEL HAS BEEN IDENTIFIED AS A POTENTIAL HUMAN CARCINOGEN.EXPOSURE TO CHROMIUM DUST OR FUMES MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE.UNDER HIGH TEMPERATURES,HEXAVALENT CHROMIUM MAY BE PRODUCED,IF IN THEINSOLUBLE FORM,IT IS A CONFIRMED HUMAN CARCINOGEN.(CALIFORNIA PROPOSITION 65).

IF COATED WITH OIL, MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT. WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS.

READ THE ALUMINIUM/ALUMINIUM ALLOYS MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

- * If processing or recycling produces particulate, use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding, grinding, abrasive sawing, sanding and polishing. Any activity which abrades the surface of this material can generate airborne particulate. Use appropriate NIOSH approved respiratory protection (P95; P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.
- * The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures.
- * Aluminum, in solid form and as contained in finished products presents no special health risk.
- * Sold for manufacturing purposes only. This product can be recycled; contact your sales representative.

For additional information, call or write to Copper and Brass Sales,22355 West Eleven Mile Road, Southfield, MI 48033.telephone248-233-5600, or visit our web site @ www.copperandbrass.com.

ALUMINUM LABEL NO. 300-1056

ISSUED 10/01/2008



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13482

Purchase Order Date 2/11/11
PO Print Date 2/11/11

Page Number 1 of 2

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect


Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line Ni	or Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable Ui	Req Qty/ nit of Measure	Ship Method	Unit Price	Extended Price
I M304S18GA	M304S18GA	304/316 .050 Sheet	2/17/11 Yes	96.00 sf	Yours port	\$4.3750	\$420.00
		Special Inst:	MATERIAL: AISI ANNELED 2B FIN AS PER MIL-S-50 AMS 5524 (316) C ASME SA240	IISH 59 OR AMS 551	3 (304)		
2 M2024T3S.063	2024-T3 .063 sheet	2/17/11 Yes	144.00 sf	Yours ppd	\$4.2708 Lefte	\$615.00 ·	
		Special Inst:	MATERIAL: 2024 AS PER QQ-A-250 OR AMS 4037 OR ASTM B209			/ =	
3	M303B1.000X1.000	303 BAR 1" X 1"	2/17/11 Yes	12.00 f	Yours ppd	\$15.8875	\$190.65

Special Inst:

MATERIAL: AISI 303 SS BAR AS PER

ASTM A582

NOTE: 304/316 NOT ACCEPTABLE

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

1

Change Date: 2/11/11

BILL OF Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

No: PEC 698512 LADING Ship Date 25Feb11 at 11:30 From PFW Probill T151590 APEXMOTOR-PEC Via FOB CONCORD PREPAID Frt 0- 0 Manifest Route Trailer Vhcle Slp TRINA VINCE (905-532-1365) Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

BILL OF LADING

1) Our Order PEC-301616- 1 Your PO # 13482
Part # Rel # CHANTAL
ALUMINUM SHEET 2024 -T3 3 PCS 131 LBS
.0640 Nom X 48.0000" X 144.0000" 144.00 SFT

LBS
TOTAL: 3 131

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

SHIP WITH S/O 301614

**DO NOT CHARGE ENERGY SURCHARGE - BILLED ON S/O 301614 TOTAL 1 SKID G.W. 381 LBS

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDÍSES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST DE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION
TVQ/QST# 1017827981 TQ001 TPB/GST TVH/HST # 140223934 RT0001

DAT

PEC 698512

BILLL OF

Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD

CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

Ship Date 25Feb11 at 11:30 From PFW Probill T151590 Via APEXMOTOR-PEC FOB CONCORD

LADING

PREPAID Frt

0- 0 Manifest Route Trailer Vhcle TRINA VINCE (905-532-1365)

No:

Slp Sold To: (20115) DART AEROSPACE

Ship To: DART AEROSPACE

O F LADING BILL ***PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER AS OF DEC 8/08.***

2 Last Page:

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMEDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REQUEN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001 DATE

. _ . Neris Aluminum Koblenz GmbH Carl-Spacter Str. 10 56070 Koblems/Deutschland AMENDED TEST CERT





IMSTECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0479527

SERIAL-NO.:

PAGE: 1 / 3

PURCHASER:

ALERIS ALUMINUM

US SALES INC.

475 N.MARTINGALE RD/8.400

ECHAUMBURG, IL 60173

CONSIGNEE:

CAL WEST EXPRESS CO. LTD

17923 S. SANTA FE AVE.

USA - RANCHO DOMINGUEZ, CA 90221

ORDER NO. PURCHASER:

US-AIRCR. DEPOT-PROG/

PART NO. PURCHASER:

ORDER NO. MANUFACTURER/ITEM: 81495 / 01

PRODUCT:

COIL

SPECIFICATION:

AMS4037+B209+QQ250/4

ALLOY/TEMPER:

BARE 2024-T3

DIMENSION:

0.063 × 48.00 × 0.00

INS

PCS.

GROSS KG

NET KG PACK-NO

LOT-NO

4.795

121068

Aleria Ajuminum Kobienz GarbH ... Carl-Spector Str.10 56070 Koblenz/Deutschland AMENDED TEST CERT Europe INSPECTION CERTIFICATE (EN 10204/3.1) / THAT REPORT / APPROVED CERTIFICATE NO.1 0479527 LOT: 121068 PAGE; 2 / 3 RESULTS: Mechanical properties: Pl. No. Spec. No. Y.S. U.T.S. El. KSI KSI . Min. LT: 42.0 63,0 15,0 Max. LT: 1 A 45,0 66,7 20,0 2 A 66,0 45,0 18,3 з а 45,4 66,7 18,7 4 A 45,0 66,9 20,5 45,3 66,l 17,4 6 45,7 65,8 19,8 벋પ곩퓔者봢냋녿쁛뀰뫱옾늗쟫쿢묨붣┕눍졲뮄딦퀍녙æ두졲뿄냋ᅩ르믁쩮┕쿋포근펚닣므쿅맊洅뎔æ뿢볃꾸콯뿄펕岩뵁녿콯뮄두펕뉱┕둮릁 Chemical composition: in & , remainder Ai Cast No.: 4-05-3130 Fo Cu Mn Mg Cx Zn Ti 0,041 0,091 4,514 0.628 1,442 0,002 0,064 0,0256 0,0006 Zr pb Ni Sn Be Na Li V H2 0,0014 0,0014 0,0000 0,0000 0,0114 0,06 H2 (*) Al Cu/Mg TI マネナスェ Fe/81 0,027 3,131 (*) = H2 in ml/100 g AL . 고 마렉라너마취임은 독특류경에 에게 모르는는 유문호비록 독표에서 가입되네요? 프린데이스 마취 만드는 유명령에 너희 유명리는 유명 모르네네 및 유명리스 모임 및 제 -Other tests: Dimensional check:

Bend test:

L-direction

Surface control:

LT-direction OK

OK

OK

ST-direction

크림탄보 개발은 내학적 BB에 보고 BB에 된 10 고 발생 환경 모양 한국시 분석 소프로 한 개류 플로드로 독등 중에 되었 보기 목

WY-TO-CS 07/08

Aleria Aluminum Koblenz GmbH
Cart-Specter Str. 10 56070 Koblenz/Deutschland
AMENDED TEST CERT





INSPECTION CERTIFICATE (EN 10204/3.1) / YEST REPORT / APPROVED CERTIFICATE

NO.: 0479527

PAGE :

3 / 3

Remarks:

MATERIAL ALSO FULFILLS THE REQUIREMENTS OF ASTM 8209-07, EXCEPT MARKINGS.

1. SUPPLEMENT: ASTM 5209-07 ADDED

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISO 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblens, the 30.07.10 sw

Patrick Gardiner Quality assurance

Aleris Aluminum Koblenz GmbH

T-TO-OS 0708

FORM: 1006

WORKORDER: 2401131779

COPPER AND BRASS SALES

MATERIAL TYPE

ALUMINIUM ALLOYS PRODUCT DESIGNATION

2014 2024 2224 2324 7050 7075 7150 7175 7475 ALUMEC 89 ALUMEC 99 QC-7

"WARNING"

SMALL CHIPS, FINE TURNINGS AND DUST MAY IGNITE READILY. EXPLOSION POTENTIAL MAY BE PRESENT WHEN: DUST OR FINES ARE DISPERSED IN THE AIR; FINE, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH CERTAIN METAL OXIDES; OR, CHIPS, FINES, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH WATER OR MOISTURE.KEEP AWAY FROM IGNITION SOURCE.USE EXPLOSION-PROOF VENTILATION.KEEP MATERIAL DRY.

THIS PRODUCT CONTAINS BERYLLIUM AND COPPER.INHALING BERYLLIUM DUST OR FUMES MAY CAUSE CHRONIC BERYLLIUM DISEASE (CBD), A SERIOUS CHRONIC LUNGDISEASE IN SOME INDIVIDUALS, BERYLLIUM IS A CANCER HAZARD; OVER TIME CBDAND CANCER CAN BE FATAL, TARGET ORGAN IS PRIMARILY THE LUNG. INHALING LARGE ÁMOUNTS OF COPPER, MAGNESIUM OXIDE, MANGANESE OXIDE, ANDZINC OXIDE FUMES OR DUST MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS.CHRONIC OVEREXPOUSURE TO COPPER MAY CAUSE THICKENING OF THE SKIN; AND SKIN, TEETH, AND HAIR DISCOLORATION. CHRONIC OVEREXPOUSURE TOMANGANESE DUST CAN CAUSE CENTRAL NERVOUS SYSTEM DAMAGE SCARRING OF THELUNGS AND REPRODUCTIVE HARM IN MALES. TARGET ORGAN IS PRIMARILY THE LUNG, BUT REPEATED HIGH EXPOSURE CAN ALSO AFFECT THE LIVER.CHRONICOVEREXPOSURE TO IRON OXIDE DUST/FUME MAY CAUSE LUNG SIDEROSIS. CHRONIC OVEREXPOSURE TO SILICON DUST CAN CAUSE CHRONIC BRONCHITIS.OVEREXPOSURE TO AMORPHOUS SILICA CAN CAUSE DRYING OF THE MUCOUSMEMBRANES OF THE EYES, NOSE, AND THROAT.

THIS PRODUCT ALSO CONTAINS NICKEL AND CHROMIUM COMPOUNDS.INHALATION OF NICKEL DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACTAND CAUSE NASAL AND/OR LUNG CANCER NICKEL HAS BEEN IDENTIFIED AS A POTENTIAL HUMAN CARCINOGEN.EXPOSURE TO CHROMIUM DUST OR FUMES MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE.UNDER HIGH TEMPERATURES, HEXAVALENT CHROMIUM MAY BE PRODUCED, IF IN THEINSOLUBLE FORM, IT IS A CONFIRMED HUMAN CARCINOGEN.(CALIFORNIA PROPOSITION 65).

IF COATED WITH OIL, MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT. WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS.

READ THE ALUMINIUM/ALUMINIUM ALLOYS MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

- * If processing or recycling produces particulate, use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding, grinding, abrasive sawing, sanding and polishing. Any activity which abrades the surface of this material can generate airborne particulate. Use appropriate NIOSH approved respiratory protection (P95; P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.
- * The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures.
- * Aluminum, in solid form and as contained in finished products presents no special health risk.
- * Sold for manufacturing purposes only. This product can be recycled; contact your sales representative.

For additional information, call or write to Copper and Brass Sales,22355 West Eleven Mile Road, Southfield, MI 48033.telephone248-233-5600, or visit our web site @ www.copperandbrass.com.

ALUMINUM LABEL NO. 300-1056

ISSUED 10/01/2008